




*a world of possibilities*

**Quick Web Links:**

- Contact Us
- AmeriLux Website
- About Architectural
- About Horticultural

 [Send to a Colleague](#)

**Take our AIA-  
accredited course  
ONLINE and earn  
CEUs:**



This course provides an overview of how multiwall polycarbonate is manufactured, the advantages over other building products, and its multiple architectural applications.

[CLICK HERE](#) to take the course now!

**Check out Our BLOG:**



Visit our blog for updates on products, projects,

## AmeriLux Newsletter

*October 2013*

### Basalt Middle School

*"Daylighting with 50mm LEXAN™ THERMOCLICK™"*

Part of the Roaring Fork School District, Basalt Middle School was built fifteen years ago in the quaint mountain town of Basalt, CO. The school recently underwent a major renovation, including a new roof and replacement of the multiwall panels in the pyramid skylight, single slope skylights, and front entry canopy.



Partnering with [AIA Industries](#), a custom skylight manufacturer and installer headquartered in Denver, CO, the architectural firm (Division 7 Design, Inc., Grand Junction, CO.) chose to use AmeriLux's 50mm opal LEXAN™ THERMOCLICK™ to reglaze the school's skylights. LEXAN™ THERMOCLICK™ 50mm is a 9-wall, inter-connecting sheet system that offers excellent thermal insulation properties, good light transmission and light diffusion properties, and lower solar heat gain.

Thanks to a large in-stock inventory, AmeriLux International was able to provide fast, on-time delivery of the ...

[Click here to continue reading](#)

*LEXAN™ THERMOCLICK™ is a registered trademark of SABIC.*

### Employee Spotlight: Jennifyr Hewitt

*"Focused on Delivering Great Customer Service"*

technical information,  
industry news, and more!  
[CLICK HERE!](#)

**Polycarbonate Term**

**Purlin:**

A horizontal structural member often made from wood or steel that directly supports the roofing material. Purlins transfer the roof load to the main roof structure such as trusses, load bearing walls, or large rafters.

Purlins run perpendicular to the slope of the roof and vary in size depending on the type of structure, loading requirements, and local codes.

The distance between purlins depends on the type of roofing material, loading requirements, and local codes. Check with your local building inspector or check local code requirements.

[CLICK HERE TO VISIT OUR ONLINE GLOSSARY PAGE](#)

**Request for Project Photos**

If you have a recent project that incorporated our products, we would like to see it! Simply [CLICK HERE](#) to email photos and a brief description.

[Click Here to Like Us On Facebook!](#)



For the past six years, Jen Hewitt has played an important role in the AmeriLux International growth story. As an essential member of AmeriLux's Customer Relations Team, Jen manages and services key customers' accounts. With an in-depth knowledge of the products and services we provide and great attention to detail, she is able to answer customer questions in a way that helps them get the job done right the first time.



In addition to helping customers by answering calls regarding product questions or technical issues, Jen is responsible for quoting jobs, processing sales orders, invoicing materials, and helps to manage inventory levels. When asked what she likes most about her job, Jen replied "You are always working with different people and being able to help them is the best feeling. I believe in treating every customer as if they were your family or friend."

At AmeriLux International, great customer service is defined - in part - by being able to identify the unique challenges and opportunities of our customers and helping them find creative, cost-effective solutions to meet their needs. As an AmeriLux customer, you should expect nothing less than the best service every time you deal with a member of the A-Team. Our goal is, quite simply, to be your distributor of choice.

Join Our Mailing List!

corrugated polycarbonate | multiwall polycarbonate | PVC sheet & liner panels

[Forward this email](#)

 [Safe Unsubscribe](#)

